



BS EN 14351-1:2006+A1:2010

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

DECLARATION OF PERFORMANCE

THIS IS TO CERTIFY THAT

LEE KELLY UPVC LIMITED

of

**364 Blackpool Road
Fulwood
Preston
Lancashire
PR2 3AA**

HAVE CONFORMED WITH EN 14351-1:A1:2010 ANNEX ZA

FOR

**VERTICAL SLIDING & CASEMENT WINDOWS AND DOORS INTENDED TO BE USED
IN DOMESTIC AND COMMERCIAL LOCATIONS**

**INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION
CONTROL COMPLYING WITH EN 14351-1:A1:2010 ANNEX ZA**

**PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND
PERFORMANCE INDICATION PAPERS FOR ALL COMPONENTS**

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS

LOAD BEARING CAPACITY OF SAFETY DEVICES – Clause 4.8

THERMAL CHARACTERISTICS – Clause 4.12

DANGEROUS SUBSTANCES – Clause 4.6



DECLARATION OF CONFORMITY

REF: 111

**BS EN 14351-1 - 2006 + A1 2010
PVC-U WINDOWS AND
PEDESTRIAN DOORS**

**This is to certify that:
Lee Kelly UPVC Limited
364 Blackpool Road
Fulwood, Preston
Lancs, PR2 3AA**

**Have conformed to BS EN 14351-1 - 2006 ANNEX ZA1
For Kommerling**

Declared performance:

ESSENTIAL CHARACTERISTIC	PERFORMANCE	HARMONISED TECHNICAL SPECIFICATION
Resistance to wind load	Npd	BS EN 14351-1:2006+A1:2010
Watertightness	Npd	
Dangerous substances	None	
Load bearing capacity of safety device	350N	
Acoustic performance	Npd	
Thermal Transmittance	>2.7 W/(m ² .K)	
Radiation Properties	Npd	
Air permeability	Npd	

**Instigating and implementing a system
of factory production control complying
with BS EN 14351-1-2006 + A1 2010**

**Producing a technical file containing
Performance indication papers for all components**



DECLARATION OF CONFORMITY

REF: 110

BS EN 14351-1 - 2006 + A1 2010

**PVC-U WINDOWS AND
PEDESTRIAN DOORS**

**This is to certify that:
Lee Kelly UPVC Limited
364 Blackpool Road
Fulwood, Preston
Lancs, PR2 3AA**

**Have conformed to BS EN 14351-1-2006 ANNEX ZA1
For Spectus Window Systems**

Declared performance:

ESSENTIAL CHARACTERISTIC	PERFORMANCE	HARMONISED TECHNICAL SPECIFICATION
Resistance to wind load	Npd	BS EN 14351-1:2006+A1:2010
Watertightness	Npd	
Dangerous substances	None	
Load bearing capacity of safety device	350N	
Acoustic performance	Npd	
Thermal Transmittance	>2.7 W/(m2.K)	
Radiation Properties	Npd	
Air permeability	Npd	

**Instigating and implementing a system
of factory production control complying
with BS EN 14351-1-2006 + A1 2010**

**Producing a technical file containing
Performance indication papers for all components**